S
E M
N

1 2 3

A B C D E

150Ø metal d.p.

flashings

180 x 180 metal eaves gutter as spec.

METAL DECK ROOF @3° PITCH

1 2 3 4 5 6 7

LADDER BRACKET

metal ridge capping

300 x120 box gutter on spandek gutterboard

200 wide x 100 deep box gutter

METAL DECK ROOF @1° PITCH

fall

600 1500 700 800

100Ø metal d.p.

canopy struts to eng. dwgs.

canopies to eng. dwgs.

metal deck roof @3° pitch

130 3940 canopy 130 7710 canopy 130 3940 canopy 130

ROOF PLAN scale 1:100

150Ø metal d.p.

conc. slab to eng. dwgs.

50mm

G.L.

overflow relief grate

TYPICAL DOWNPIPE DETAIL
scale 1:20

0 5m 7.5m 10m

* METAL ROOF SHEET ON STEEL PURLINS.
* 7 (PURLIN FIX) ANCHOR POINTS.
* 1 LADDER BRACKET.
* 1 STAIR.

REV.A 25-09-08 Nib walls to front elevation.

NOTES:
CHECK ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION.
REFER TO ENG. DWGS. FOR ALL STRUCTURAL REQUIREMENTS.
ALL AREAS ARE APPROXIMATE ONLY.
MASONRY TO COMPLY WITH AS3700.
WINDOWS TO COMPLY WITH AS2047.
ALLOW FOR SMOKE DETECTORS.
OWNER TO CONFIRM SIZE OF APPLIANCES & EQUIPMENT REQUIREMENTS PRIOR TO CONSTRUCTION.
DIMENSIONS TO STRUCTURE - ALLOW FOR FINISHES.
DESIGN SUBJECT TO CONFIRMATION OF SITE CONDITIONS, LOCATION OF SERVICES & APPROVAL OF LOCAL & OTHER RELEVANT AUTHORITIES.
DESIGN SUBJECT TO CONFIRMATION OF FESA WATER MAINS PRESSURE REQUIREMENTS.
CONNECT ALL DOWNPIPES TO SOAKWELLS.

PROPOSED MEDICAL CENTRE
LOT 3 (#533) CANNING HIGHWAY
ALFRED COVE

HORIZON DESIGN

DRAWN	DATE	SHEET NO.
CBL	OCT 2008	A04
SCALE	JOB NO.	PRINT 25/03/2009
as shown	wd811-1139c	

THIS DESIGN IS THE PROPERTY OF HORIZON DESIGN AND SHALL NOT BE REPRODUCED WITHOUT PERMISSION. © 2008

HDD.COM.AU PTY. LTD. ACN 099 107 516 SUITE 12 / 22 PARRY AVE. BATEMAN 6150 WESTERN AUSTRALIA PH. (08)9332 2022 FAX. (08)9332 2033 MOB. 0418 958 959 E-MAIL design@hdd.com.au Web Page www.hdd.com.au

PDF created with pdfFactory trial version www.pdffactory.com