



**ZERO**  
zero tolerance is essential



All prices are exclusive of GST unless otherwise stated. Safemaster reserves the right to change pricing at any time without notice. No rights whatsoever can be claimed from the information and illustrations in this catalogue.



**Z+32**




### ZERO PLUS Tradesman Harness

- Ideal for construction work, roofers, vertical climbing as well as general purpose and fall arrest that demand comfort and premium safety
- Front & rear fall arrest attachment point
- Breathable mesh fabric in the shoulder and leg pads gives the wearer support and comfort while helping to keep them cooler and dryer
- Quick connect buckles with chest and leg adjustments providing correct and secure fit
- Extra wide, padded leg straps for added comfort when working for long periods of time. Moisture wicking 3D mesh linings

**\$290 (ex GST)**

Size	M-XL	XXL
Weight	1340g	1390g



## Z-30/S



ROOFING



ORDER PICKING



CONSTRUCTION & MAINTENANCE



ELEVATED WORK PLATFORM



CLIMBING LADDER




### ZERO UTILITY Harness with Standard Buckles

- General purpose harness with front and back attachment points
- Fully adjustable with standard buckles
- Dorsal extension, Karabiner provided with front attachment loops
- Suitable for general tradesperson, construction workers, roofing, vertical climbing and access equipment

**\$105 (ex GST)**

Size	M-XL	XXL
Weight	1150g	1200g



## Z-30



ROOFING



ORDER PICKING



CONSTRUCTION & MAINTENANCE



ELEVATED WORK PLATFORM



CLIMBING LADDER




### ZERO UTILITY Harness Quick Connect

- Includes all the features and benefits of the Z-30/S harness
- Fully adjustable with quick connect buckles

**\$165 (ex GST)**



Size	M-XL	XXL
Weight	1150g	1200g



## Z-35/ABM-TX5



### ZERO Tradesman Harness/Adjustable Lanyard Set (with Scaffhook)

- General purpose harness with front and rear D attachment points, ideal for the scaffold and rigging industries, for safe attachment and movement in the working environment
- Adjustable length lanyard with shock absorber (for fall arrest/restraint work applications) and scaffhook connected to rear dorsal
- Fully adjustable with quick connect buckles for ease of use
- Suitable for roofing, construction workers, vertical climbing, scaffolders, access equipment and general tradesperson

**\$370 (ex GST)**



ROOFING



SCAFFOLDING & RIGGING



CONSTRUCTION & MAINTENANCE



ELEVATED WORK PLATFORM




CLIMBING LADDER



BONUS  
SAFEMASTER®  
Lightweight  
Harness Gear  
Backpack

Size	M-XL	XXL
Weight	1460g	1600g



Z+52



BONUS  
SAFEMASTER®  
Lightweight  
Harness Gear  
Backpack



### ZERO PLUS Tradesman Harness with Positioning Belt


- Ideal for construction work, roofers, vertical climbing as well as general purpose and fall arrest
- Multi-purpose, general fall arrest harness with front and rear fall arrest D-ring attachment points
- Offset (cranked) work positioning side attachment points
- Quick connect buckles to waist, chest and leg with adjustments providing correct and secure fit
- Wide angled padded shoulders with moisture wicking 3D mesh pads, providing unrivalled shoulder and neck protection and comfort
- Extra wide, padded leg straps for added comfort when working for long periods of time
- The webbing is designed to be water and oil resistant
- Tool loops on chest to keep tools handy
- Supplied standard with forged steel hardware

**\$350 (ex GST)**

Size	M-XL	XXL
Weight	1715g	1765g



Z+86/R



BONUS  
SAFEMASTER®  
Lightweight  
Harness Gear  
Backpack



### ZERO PLUS IsoTower Harness

- Revolutionary new and ergonomic design that combines the practical tower design with electrical isolating and rescue features
- Suitable for multitude of working applications including tower work, pole work, linesman, rescue, industrial height safety and confined space
- Unique fixed stirrup shaped side work positioning attachment points preventing grit travel into webbing folds
- Adjustable arc proof protective covers over all metal components (excludes side positioning D's)
- Soft rescue retrieval attachment points to shoulders
- Breathable mesh fabric in the waist belt, positioning sling and shoulder padding gives the wearer support and comfort while helping to keep them cooler and dryer
- Wide padded support sling for maximum comfort during long periods of work positioning
- Rear dorsal attachment point with velcro stowage system when not in use
- Wide padded shoulder with moisture wicking 3D mesh pads, providing unrivalled shoulder and neck protection

**\$560 (ex GST)**

Size	M-XL	XXL
Weight	2450g	2600g





## Z+87/R



BONUS  
SAFEMASTER®  
Lightweight  
Harness Gear  
Backpack



### ZERO PLUS Riggers Harness

- New and ergonomic design that combines the practical tower design with rescue features
- Lightweight design, fully adjustable for best fit
- Suitable for a multitude of working applications including tower work, pole work, linesman, rescue, industrial height safety and confined space
- Central multi-purpose front free fall arrest attachment point
- Soft rescue retrieval attachment points to shoulders
- Includes side work D positioning attachment points plus tower work positioning side rings
- Padded saddle seat for comfort during long periods of work positioning
- Extra wide padded waist belt, moisture wicking lining for comfort
- Quick connect buckles to chest and leg with adjustments providing correct and secure fit
- The webbing is designed to be water and oil resistant

**\$365 (ex GST)**

Size	M-XL	XXL
Weight	2500g	2610g



Rated to  
136kg



## Z+81



BONUS  
SAFEMASTER®  
Lightweight  
Harness Gear  
Backpack



### ZERO PLUS Construction Harness

- Ideal for general rope access and abseil, as well as general purpose, work positioning and fall arrest
- For greater versatility, an abundance of hard and soft attachment points spaced across the chest, waist and shoulder with tool loops located on the waist belt to attach additional hardware and gear
- Various attachment points to suit many working positions
- Leg straps for ultimate comfort when in suspension
- Breathable mesh fabric in the waist belt, shoulder and leg pads gives the wearer support and comfort while helping to keep them cooler and dryer
- Quick connect buckles on waist, chest connection and leg straps
- Panels keep the harness in shape for easy fitting
- 7 gear loops to keep hardware and tools readily available
- Padded shoulder with moisture wicking 3D mesh pads, providing unrivalled shoulder and neck protection
- The webbing is designed to be water and oil resistant

**\$380 (ex GST)**


Size	M-XL	XXL
Weight	1900g	1980g



Rated to  
136kg



## TECHNICAL RIGGING



## ZERO Tolerance is Essential



ZERO equipment is the result of extensive global research, innovation and a design ethos to create a ZERO harm environment for the Fall Protection Safety industry.

All products by ZERO are manufactured and controlled according to ISO9001:2008 quality system and certified to article 11B of directive 89/686/EEC, and CE0082 by Apave or INSPEC, the independent accreditors.

## Z+90



### ZERO PLUS Abseil Harness

- Designed for specialist rope access technicians and work positioning
- Versatile design allows use for a multitude of applications including general rope access and abseil, industrial fall arrest, work positioning and tower climbing
- Various attachment points to suit many working positions
- Ascender device can be retrofitted for abseil use
- Side work positioning attachment points
- Quick connect buckles on and leg straps
- A rear attachment point on the waistbelt for connecting a restraint lanyard
- Padded shoulder panels are widely spaced to reduce neck chafing, with moisture wicking 3D mesh lining for best neck and shoulder comfort
- Gear loops to keep hardware and tools readily available

**\$480 (ex GST)**


Size	M-XL	XXL
Weight	1950g	2050g






## TYPICAL ROOFING SETUP

### METAL ROOF ANCHORS & ACCESS



### DIVERSIONARY ROOF ANCHOR



## SAFETY WARNING

The technical information in this catalogue concerning the various activities of work at heights are examples only and must be integrated into your initial risk assessment for any particular job, before the work begins. The specific regulations and best practices of individual industries must be recognised.

The techniques pointed out in this catalogue are general but are not intended to have any educational value; the use of these techniques and the relative PPE must be preceded by specific, professional education and training.



**ABM-T3****ABM-T3E****ABM-T5E**
**ZERO Single Webbing Lanyard with Snaphooks**

- 2m length webbing lanyard with snaphooks at both ends, Shock absorber included

**\$105** (ex GST)

**ZERO Single Elasticated Lanyard with Snaphooks**

- Elasticated webbing lanyard with snaphooks at both ends, Total extended length is 2m, Elastic cover helping to reduce slack which could become a trip hazard, Shock absorber included

**\$125** (ex GST)

**ZERO Single Elasticated Lanyard with Snaphook & Scaffhook**

- Elasticated Webbing lanyard with one scaffhook and snaphook attachment, Shock absorber included

**\$135** (ex GST)

**AZ-800****ABM-TX3****ABM-TX5**
**ZERO Wire Lanyard with Shock Absorber**

- 8mm Steel cable roof lanyard 2m with polymide webbing energy absorber
- Suitable for use over similar edges such as rolled steel profiles, wooden beams or cladding, rounded roof parapets

**\$115** (ex GST)

**ZERO Single Adj Webbing Lanyard with Snaphooks**

- Adjustable webbing lanyard (from 0.8m to 2m) with snaphook attachments

**\$145** (ex GST)

**ZERO Single Adj Webbing Lanyard with Snaphook & Scaffhook**

- Adjustable webbing lanyard with one scaffhook and snaphook attachment, Shock absorber included
- Adjustable length from 0.8m to 2m

**\$175** (ex GST)

**ABM-2T3E****ABM-2T5E****ABM-2RL**
**ZERO Double Elasticated Lanyard with Snaphooks**

- Double elasticated webbing lanyard 2m with snaphooks, shock absorber included

**\$160** (ex GST)

**ZERO Double Elasticated Lanyard with Snaphook & Scaffhooks**

- Elasticated webbing lanyard with snaphook at the harness end, and scaffhooks at the anchorage end, Total extended length is 2m, Shock absorber included

**\$190** (ex GST)

**ZERO Double Adjustable Rope Lanyard with Karabiners**

- Adjustable from 1.2 to 2m
- Twin legs ensure the worker is always attached whilst moving from anchor to anchor

**\$145** (ex GST)

**BW-260/0.9****BW-260/1.5****ZX-490AZ**
**ZERO Climbers DBL Elasticated Webbing Lanyard with Snaphook & Scaffhooks, 0.9m**

- Total length is 0.9m to reduce the fall factor, Elasticated webbing lanyard with snaphooks at the harness end, and scaffhooks at the anchorage end

**\$165** (ex GST)

**ZERO Climbers DBL Elasticated Webbing Lanyard with Snaphook & Scaffhooks, 1.5m**

- 1.5m Climbers double elasticated webbing lanyard with 2 scaffhooks and snaphook
- Shock absorber included

**\$175** (ex GST)


**ZERO X Elasticated Lanyard with Snaphook and Scaffhook**

- Super strength lanyard 2m with snaphook and scaffhook
- Shock absorber included
- Material: Polyamide 100%
- Rated to 180kgs


**\$160** (ex GST)



## VERTICAL FIXED LADDER



## SCAFFOLDING & PYLONS



### ZRL-15 / ZRL-20



ZERO VENTURA LINOSTOP 12mm Ropeline with Adjuster (with Shock Absorber)

- 15m ropeline with a rope adjuster, shock absorber and a snaphook
- Easy to adjust as you work down the rope, travels freely up to the rope
- 12mm Ventura Kernmantle static rope
- Excellent for roof work, fix to secure anchor such as large tree, post, beam on the opposite side to area being worked on
- 20m ropeline also in stock (ZRL-20)
- Other lengths available on request

**\$198** (ex GST)- 15m

**\$220** (ex GST)- 20m

**\$250** (ex GST)- 30m

### AC-040



ZERO Guided Rope Fall Arrester with Karabiner

- Guided type fall arrester for flexible anchorage line, can be attached at any point along the line
- Auto locks in descent or arresting a fall
- For use on 12mm polyamide rope

**\$125** (ex GST)




**ZF-725****AF-130/050****LINESMAN & RIGGER**Rated to  
15kNRated to  
15kN**ZERO Webbing Adjustable Pole Strap**

- 1.2 - 2.5m ideal for lineworkers, structural work, tree work etc
- Quick and easy, Designed for restraint and work positioning only

**\$165 (ex GST)****ZERO PROT 3 Port Adjustable Work Positioning Device**

- Work positioning device
- Simple adjustment of rope grip shortener for perfect length
- Ventura Kermantle polymide rope 14mm diameter
- Aluminium alloy rope shortener
- Complete with snaphook
- Rope protecting sleeve to reduce rope friction and wear

**\$220 (ex GST)- 20m****\$140 (ex GST)- 3m****\$155 (ex GST)- 5m****ZB-20****ZERO Restraint Body Belt**

- Padded body belt with front and side anchorage points
- Work positioning belt only
- Fully adjustable and has quick connect buckles
- Suitable for utility belt for restraint or support when positioning

Please note that this is not a fall arrest harness and it does not meet AS/NZS 1891.1:2007 standards.

**\$80 (ex GST)**

Size	M-XL	XXL
Weight	990g	1020g

Rated to  
136kg

LB-121



AZ-700/140



AZ-700/140

Rated to  
25kNRated to  
22kN

## ZERO Rope Fixed Lanyard

- Universal safety lanyard- fixed length, no shock absorber
- Work positioning only
- Karabiners/attachments to be ordered separately

**\$26** (ex GST)- 0.5m**\$30** (ex GST)- 1.0m / **\$34** (ex GST)- 1.5m**\$38** (ex GST)- 2.0m

## CAMP SAFETY Easy Anchor Strap

- Made by robust polyester webbing and zinc plated carbon steel components
- Length adjustable from 80 to 130cm

**\$58** (ex GST)

## ZERO Anchor Strap 1.4m

- Webbing sling made from polyester webbing, lined with a non-slip rubber backing and D rings at each end
- The non-slip backing gives security against the anchor sliding or chafing with the friction of movement, the rubber backing gives the webbing some protection on rough edges

**\$56** (ex GST)

ZS-200



ABM

Rated to  
22kN

## ZERO Webbing Sling 200cm

- Sling webbing in 2m
- Simple and effective to create an anchor point when looped around a structural member
- Other lengths also available (0.6m, 0.8m, 1.2m, 1.5m)

**\$20** (ex GST)- 2m**\$12.50** (ex GST)- 1.2m

## ZERO Shock Absorber with Karabiners

- For general fall arrest
- Includes x2 karabiners
- 425mm including karabiners, 255mm absorber only
- 100% Polyamide material

**\$65** (ex GST)- 2m**FREE Safemaster®  
Lightweight  
Harness Gear  
Backpack\***

HGA601

for any purchase of PPE above  
\$300 in a single transaction\*Excludes harness models Z+32, Z+52, Z+81,  
Z-35/ABM-TX5, Z+86/R, Z+87/R, Z+90,  
Z+71/R and all harness kits

Regular Price:

**\$29** (ex GST)



AY-002



AY-003



ZC-969



Hand Tool Lanyard  
Elasticated

- Safe working load 2kg
- Length 120cm
- Static strength 15kN
- With toggle and quick connect catch

**\$18** (ex GST)



Retractable Tool Holder

- Use with hand tools only
- Max tool weight 2kg
- Length 115cm

**\$28** (ex GST)



Edge Rope Protector

- To help protect a fixed rope from abrasion
- Velcro closure for easy and quick installation
- Weight 100gms
- Length 54 cms

**\$26** (ex GST)

ZC-2062



TEMPLINK 3000

APS600



CAMP SAFETY Trauma Straps- Pair

- Helps prevent the effects of suspension trauma by prolonging the allowable suspension time
- Easy velcro deploy
- Adjustable hook/loop to obtain the most comfortable strap length


**\$46** (ex GST)



TEMPLINK 3000 Temporary  
Anchor

- Durable stainless steel material
- Lightweight compact unit, enabling easy manoeuvring to desired location
- Easy to install
- Rated for one person use

**\$250** (ex GST)



Temporary Anchor Point

- Used on metal profile roofs
- Affords multidirectional fall arrest protection for workers
- Can also be used for temporary staticlines
- Rated for 2 persons use

**\$295** (ex GST)

## ZE-320/20




Rated to  
22kN


### ZERO Temporary Static Lifeline, 3 Person- 20m

- Adjustable horizontal lifeline, static 3 man system- the structural anchor points have to be situated on the same level and have minimal static resistance 18kN (1 person), 20kN (2 persons), 22kN (3 persons)
- 19m x 35mm polyester working rope
- Ideal for construction, roofing industry, open trenches, scaffolders and formwork
- Snaplock connectors
- Zinc plated and powder coated tensioner
- The adjustable lifeline should be tensioned to 2kN between 2 structural anchor points
- Protection for up to three users
- 20m webbing line, Supplied with kit bag


**\$335 (ex GST)**



## STATIC LINE ROOF WITH RETRACTABLE



## STATIC LINE ROOF WITH ROPELINE



## WR-025



Rated to  
141kg

### ZERO Retracting Lanyard

- Lightweight and compact, ideal for many light duty applications such as order pickers, static lines, plant maintenance, EWP's etc
- Maximum length of 2.4m
- Static strength not less than 15kN, braking force less than 6kN
- Suitable for horizontal use, maximum deflection from vertical 40°
- Do not use where a fall could occur over sharp edge
- Weight 850g

**\$190 (ex GST)**

## WR-100/06



Rated to  
120kg

### ZERO KELVAR Webbing Retractable Lanyard 6M

- Lightweight construction and fully compliant, 17mm polyester/kevlar working webbing
- Swivel handle for anchoring to a structure
- Webbing retractor with brake and energy dissipating mechanism inside plastic casing
- Snaphook with swivel function and fall indicator
- Deflection from vertical 40°
- Operating temperature range -30° to +50°
- One person use only
- Weight 1.46kg

**\$490 (ex GST)**

## CR-30



Rated to  
141kg

### ZERO Steel Cable Retractor 3m

- Lightweight and portable retractable fall arrester, very compact size
- Maximum working length of 3m
- Static strength not less than 12kN, braking force less than 6kN
- Galvanised cable
- Weight 1.75kg

**\$340 (ex GST)**



ZERO Retractable Inertia  
Reel- Stainless Steel Cable  
6m/10m/15m



Rated to  
140kg

- For work at height situations where moisture could effect cable and performance. Self retractable lifeline with rugged metal case
- Will arrest a fall in less than 0.8m with a dynamic force of less than 6kN
- Stainless steel wire cable- cable breaking point 12kN
- For use only with full body harness rated to fall arrest
- Snaphook connector
- Reflection from vertical 40 degrees
- Operating temperature range -40° to +60°
- Can be used in horizontal position and near horizontal

**\$716**  
**(ex GST)- 6m**

Also available in:

\$750 for 10m

\$770 for 12m


\$790 for 15m



## RESCUE BY DESCENT

AR-010

**ZERO**  
SAFEMASTER EQUIPMENT



 Rated for One Person rescue

 Rated to 200kg




### ZERO Rescue Descent Kit- 50m


- Designed to rescue/recover a person at height
- Is used for lowering only, and can be used during rescue operations at height for workers who are suspended in PPE equipment
- The controlled descending device with anti-panic feature is simple to use and gives a basic rescue system to situations where the victim is reasonably accessible
- The kit consists of controlled descent device, 11mm working rope, karabiners, webbing lanyard, release knife, anchor webbing and PVC storage pack

**\$1,150 (ex GST)**


Descending device function:



## CONFINED SPACE



## Z-35/R




### ZERO Tradesman & Rescue Harness

- Great all-rounder, suitable for general tradesperson, construction workers, confined space, roofing, vertical climbing, access equipment
- Front and rear D attachment points, rescue loops on the shoulders
- Fully adjustable with quick connect buckles, padded leg straps

**\$225 (ex GST)**

Size	M-XL	XXL
Weight	1460g	1600g




## TM-9



### ZERO Aluminium Tripod 229cm with Chain & Bag


- Ideal for lifting loads, assisting in access to confined spaces, as well as for securing and rescuing people
- Adjustable length legs and chain webbing between legs. Rubber pads on feet to assist in stability
- Confined space working area 140-213cm
- Easy to use, the tripod offers complete safety without having to be anchored to the ground
- Weight 16.5kg

**\$1,350 (ex GST)**





## Z+71/R



**BONUS**  
SAFEMASTER®  
Lightweight  
Harness Gear  
Backpack



### ZERO PLUS Works Rescue Harness

- Suitable for a multitude of applications including general rope access and abseil, rescue, industrial fall arrest, work positioning, tower and confined space. A true all-rounder
- Rescue retrieval attachment points, side work positioning attachment points
- Various attachment points to suit many working positions

**\$450 (ex GST)**

Size	M-XL	XXL
Weight	1700g	1800g



## ZSB



### ZERO Spreader Bar with Karabiners

- Spreader Bar suitable for use with RUP-502 Winch and Z-40, Z-35/R, Z+71R, Z+86/R and Z+87/R harnesses for all confined space access
- Full ZERO confined space package is available to suit your specific application
- 900mm x 350mm (HxW)

**\$115 (ex GST)**

## RUP-502/20



### ZERO Winch with Pulley & Mounting Bracket- 20m

- Lifting and lowering device with automatic braking, ideal for confined space work and rescue
- Fits to ZERO tripods
- Galvanised steel cable
- Includes mounting bracket, Pulley and fall arrest spring shock absorbing device
- Working load of 140kg, Breaking force 1800kg, Cable length 20m

**\$1,200 (ex GST)**



Included:



**N621****Cable Rope Grab with Eye**

- Stainless steel, for wire rope 8mm, Minimum breaking load 13kN, Standard ANSI Z359.1 & EN 353-2

**\$59<sup>05</sup> (ex GST)****N-3032****Snaphook**


- Forged steel, Heat treated, Rated to 23kN, Standard ANSI Z359.1 & EN 362:2004

**\$34<sup>05</sup> (ex GST)****PJ-596****ZERO Chrome Plated Scaffhook**

- Strength 23kN, 217mm with 50mm opening, Double locking type gate opening, High tensile steel/chrome plated

**\$34<sup>05</sup> (ex GST)****PJ-501****ZERO Screw Gate Oval Karabiner**

- Screw gate oval karabiner, Rated to 25kN
- Marked with individual serial numbers
- Dimensions 110mm-58mm with 18mm opening
- High tensile steel, zinc plated

**\$975<sup>05</sup> (ex GST)****N244-G****Steel Karabiner**

- Alloy steel, Heat treated, Triple locking, 25kN load rated

**\$1105<sup>05</sup> (ex GST)****N284-TR****Aluminium Karabiner**

- Aluminium alloy, SAE7075, Triple locking, 23kN load rated

**\$2280<sup>05</sup> (ex GST)****N256G-TR****Steel Karabiner**

- Alloy steel, SAE7075, Triple locking, 45kN load rated

**\$2275<sup>05</sup> (ex GST)****PJ-507****QuickLink Oval**

- Steel/zinc plated, screw lock, 72x17 mm (HxW) with 17mm opening

**\$650<sup>05</sup> (ex GST)**

# Safe, Reliable & Easy Way to Simplify the Safety Equipment You Need

Our specialists have carefully designed a wide range of kits to suit your various work demands while keeping the budgets in check.

The fully compatible components contained in the kits comply with AS/NZS 1891.1, EN355:2002, EN359, CE0082 regulations & standards.

The kits are 100% visually inspected prior to packing.



## DELIVERY & PICK UP

Choose from a huge range of delivery options that suit you best Or save on freight by pick up from our office



## CAN'T FIND WHAT YOU NEED?

Contact our customer service team on (08) 6218 5158/  
email: [sales@safemaster.net.au](mailto:sales@safemaster.net.au)  
and we will directly order from our manufacturer for you



## PPE INSPECTIONS

We offer a professional safety harness, lanyard and associated equipment inspection and tagging service in accordance with AS1891.4:2009

## SFP-OPKIT



### Order Picking & Warehousing Kit

An excellent all round kit for order picking that requires workers to access product packages, often from height. All equipment complies with safety codes.

#### Contains:

- Z-30/S ZERO Utilities Harness with Standard Buckles
- WR-025 ZERO Retracting Lanyard
- PJ-501 ZERO Screw Gate Oval Karabiner
- HGA601 Safemaster® Lightweight Harness Gear Backpack

**\$275** (ex GST)





## SFP-02KIT



### Economy Roofers Kit

An easy and economical kit for worker safety on general roofing jobs where a permanent safety line system is not in place. All components have been carefully selected to keep budgets in check.

#### Contains:

- Z-30/S ZERO Utilities Harness with Standard Buckles
- ZRL-15 ZERO VENTURA LINOSTOP 12mm Ropeline with Adjuster 15m
- ZS-200 ZERO Webbing Sling 200cm
- ZERO Screw Gate Oval Karabiner
- HGA601 Safemaster® Lightweight Harness Gear Backpack

**\$290** (ex GST)



## SFP-01KIT



### Roofers Kit

Roofers Kit contains a complete range of value-added fall protection products that meet most roof workers needs and a variety of working-at-height requirements. Suitable for both domestic and commercial roof working applications.

#### Contains:

- Z-30/S ZERO Utilities Harness with Standard Buckles
- ZRL-15 ZERO VENTURA LINOSTOP 12mm Ropeline with Adjuster 15m
- ABM-T3 ZERO Single Webbing Lanyard with Snaphooks
- 2035.130 Easy Anchor Strap
- ZERO Screw Gate Oval Karabiner x2
- HGA601 Safemaster® Lightweight Harness Gear Backpack

**\$430** (ex GST)



## SFP-03KIT



### Premium Multi-Purpose Fall Protection Kit

The Premium Multi-Purpose Kit is an all in one kit offering you a safe, reliable and easy way to simplify the safety equipment you need for most working-at-height applications.

#### Contains:

- Z+32 ZERO PLUS Tradesman Harness
- ZRL-20 ZERO VENTURA LINOSTOP 12mm Ropeline with Adjuster 20m
- WR-025 ZERO Retracting Lanyard
- ABM-T3 ZERO Single Webbing Lanyard with Snaphooks
- 2035.130 Easy Anchor Strap
- ZERO Screw Gate Oval Karabiner x2
- ZC-2062 ZERO Trauma Straps- Pair
- HGA601 Safemaster® Lightweight Harness Gear Backpack



**\$680** (ex GST)

## SFP-CKIT



### Construction Kit

The Construction Kit is designed for limited movement applications such as elevated work platforms and general construction jobs, where a permanent safety line systems or anchors may or may not be in place.

The retractable arrester provides a safer work place and minimises the chance of entanglement while working.

#### Contains:

- Z+32 ZERO PLUS Tradesman Harness
- ABM-T3 ZERO Single Webbing Lanyard with Snaphooks
- 2035.130 Easy Anchor Strap
- WR-025 ZERO Retracting Lanyard
- ZERO Screw Gate Oval Karabiner
- HGA601 Safemaster® Lightweight Harness Gear Backpack



**\$530** (ex GST)

## SFP-SKIT



### Scaffolders Kit

High quality and excellent value height safety kit for scaffolding and rigging applications, enabling the worker to attach to scaffolding for safe movement and work efficiency. All equipment complies with safety codes.

#### Contains:

- Z-35/ABM-TX5 Tradesman Harness/Adjustable Lanyard Set (with Scaffhook)
- 2035.130 Easy Anchor Strap
- ZERO Screw Gate Oval Karabiner
- HGA601 Safemaster® Lightweight Harness Gear Backpack



**\$415** (ex GST)



## SFP-TSKIT



### Temporary Static Line Kit

The Webbing Static Line Kit is an excellent kit for a large degree of side movement work when this movement cannot be covered by the use of a lanyard or drop line. Adjustable horizontal static lifeline with 20m webbing.

#### Contains:

- Z-30/S ZERO Utilities Harness with Standard Buckles
- ZE-320 20 ZERO Temporary Static Lifeline, 3 Person- 20m
- 2035.130 Easy Anchor Strap x2
- ZERO Screw Gate Oval Karabiner x2
- HGA601 Safemaster® Lightweight Harness Gear Backpack



**\$490** (ex GST)

Save Up To  
**\$100**



## SFP-WKIT



### Windmill Kit

The Windmill Kit is designed for users working on ladders not equipped with a fall arrest system for working on windmills, wind turbine generators and electricity pylons.

#### Contains:

- Z-87/R ZERO PLUS Riggers Harness
- BW-260/1.5 ZERO Climbers DBI Elasticated Webbing Lanyard with Snaphook & Scaffhooks 1.5m
- ZERO Screw Gate Oval Karabiner
- HGA601 Safemaster® Lightweight Harness Gear Backpack

**\$495 (ex GST)**



All prices are exclusive of GST unless otherwise stated. Safemaster reserves the right to change pricing at any time without notice. No rights whatsoever can be claimed from the information and illustrations in this catalogue.

## APX-05



### APEX Multi Helmet

Designed to mountaineering impact certification, for industrial use, with a collation of the best design features for an industrial quality helmet for work at height and general site safety. Impact and penetration protection meets and exceeds AS/NZS1801 and EN397.

- Size adjustment system and up-n-down adjustment system for perfect fit
- 10 air intakes, vents mesh covered to prevent debris entry
- Inner lining fully detachable and washable
- Head lamp holder clips
- Two slots for mounting ear defenders and visor assemblies
- Impact tested to crown: 100 joules
- Impact tested to sides / front / rear: 90 joules
- Non-releasing chin strap
- Reflector stickers for visibility

Colours available:



Dimensions	51 - 62cm
Weight	410gm



Rated to 470kg

**\$105 (ex GST)**



Safemaster has been providing fall prevention solutions since 1995 by successful design, manufacture and testing, delivery and installation and certification of a range of safety products that are not only user friendly but also meet the most stringent Australian Safety Standards.



Safemaster Safety Products  
31-33 Catalano Road,  
Canning Vale WA 6155

For More Information:  
General Enquiry: (08) 6243 3111  
info@safemaster.net.au  
www.safemaster.net.au